

Zhoushan Jinqi Food Machinery Co., LTD

GT4B18 Tank packer

Equipment

Itroduction



**Honesty for this, the first behave,
then work**

Address: No.193, Dacheng Fifth Road, High-tech Industrial Park, Dinghai District, Zhoushan City, Zhejiang Province, China

Address: No. 193, Dacheng five Road, Dinghai District hi-tech Industrial Park, Zhoushan city, Zhejiang province, China.

URL /Web:www.93jq.com Email box / E-mail: zsjq_sp@163.com

Tel: + 86- (0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017

GT4B18 Tank packer

GT4B18 The tank sealing machine adopts the four-roller double sealing structure, which is suitable for the sealing of small size round tank. This machine has the characteristics of easy parts disassembly, simple maintenance and simple operation. The control part adopts advanced electricity and gas control technology, convenient speed adjustment and high accuracy of falling cover, which is the preferred model of



cannery and beverage factory. This machine uses steam to meet the vacuum requirements in the tank.

1. Simple price:

- (1) This machine is a four-turn tank sealing machine with four working heads, in the design of the internal parts have the advantages of convenient installation and disassembly, cleaning, oil injection and simple maintenance operation. The machine is balanced and can quickly reduce the vibration of the cans to a minimum.
- (2) The two sealing rollers are opposite to the device to balance the operation of the head channel and the second channel sealing. When the head channel needs to check the head channel, the second channel sealing roller is easy to be removed.
- (3) The use of steam injection, low cost, safety, clean health tank.
- (4) There should be no vacuum chamber, so the troubleshooting is convenient.
- (5) The machine uses the nose will turn the sealing, the tank does not turn so the juice will not fly out, the tank to the end of the sealing amount unchanged, which greatly saves the use of the juice.
- (6) sealing speed This machine adopts frequency conversion stepless adjustment, so that the speed regulation range is wide and convenient.

Address: No.193, Dacheng Fifth Road, High-tech Industrial Park, Dinghai District, Zhoushan City, Zhejiang Province, China

Address: No. 193, Dacheng five Road, Dinghai District hi-tech Industrial Park, Zhoushan city, Zhejiang province, China.

URL /Web:www.93jq.com Email box / E-mail:zs jq_sp@163.com

Tel: + 86- (0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017

- (7) The machine uses cam and lever to drive the roller seal, so the sealing is very stable and balanced, and the sealing quality is better than other machines.
- (8) In the transport cover and tank, so the failure rate is very low.
- (9) High production efficiency, adapt to the tank diameter, high and wide.
- (10) The machine device has an automatic tank supply mechanism, and a "no tank-no cover" linkage mechanism and a synchronous sub-cover mechanism. This machine production efficiency is high, especially suitable for sealing sauce, juice and canned vegetables.
- (11) The driving system with the sauce and filling machine can provide power for the sauce and filling machine, and directly drive the sauce and juice to ensure the synchronous operation with the sauce and filling machine.(As the user needs)

2. technical parameter:

Production capacity is 100-200 cans / min

Head number 4

Applicable tank diameter is 52-99mm

Applicable tank height 70-133mm (can be customized to customer requirements, minimum height 30mm)

The overall power is 3KW

Overall dimension (length, width and height) 1600*2400*2000 mm

Weight of 2,500 kg

3. Composition of the machine:

This machine mainly consists of the following components: active parts, chassis parts, tank parts, tank delivery parts, fuselage turret parts (including nose parts), connected drive parts (this part is not used in single machine).

Address: No.193, Dacheng Fifth Road, High-tech Industrial Park, Dinghai District, Zhoushan City, Zhejiang Province, China

Address: No. 193, Dacheng five Road, Dinghai District hi-tech Industrial Park, Zhoushan city, Zhejiang province, China.

URL /Web:www.93jq.com Email box / E-mail:zs jq_sp@163.com

Tel: + 86- (0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017