

Zhoushan Jinqi Food Machinery Co., LTD

Equipment

Itroduction



**Honesty for this, the first behave,
then work**

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web:www.93jq.comEmail box / E-mail:zsjq_sp@163.com

Tel: + 86-(0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017

1.JQ08KGA head large tank particle filling machine

This equipment is a general quantitative cup metering filling machine, widely used for filling grain, beans, coffee and other granular materials in the food industry.

This equipment adopts sleeve quantitative cup with adjustable volume, equipped with no tank non-open valve device and other safety protection devices. The equipment is easy to operate, smooth operation, high production efficiency, wide range of application. The outer surface and the parts contacting with the material are made of 304 stainless steel material, and the feeding part and the metering part can be washed with water, meeting the requirements of food hygiene. This equipment is driven by variable frequency speed regulating motor, and the production capacity is graded and adjustable.



Main specifications and technical parameters

Production capacity: 20-80can / min

Number of filling heads: 8

Fill capacity:, according to the customer demand

Applicable tank height: 150-180 mm

Applicable tank diameter: Φ 150

Compressed air: 0.4 Mpa

Main motor power: 1.5KW

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web:www.93jq.comEmail box / E-mail:zsjq_sp@163.com

Tel: + 86-(0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017

Total weight: 800kg

Overall dimensions: 1 5 00X1 3 00X 2250mm (excluding delivery)

Electrical configuration

. Touch screen: dimension control	B. PLC: Dimension control
C. Frequency converter: sine	D. proximity switch: Yifu door
E. Switch power supply: Ming Wei	F. Relay: Omron
G. Circuit breaker: Chint	H. Pressure reducing valve: Yadker
I. Power switch: Chint	J. Contactor: Chint
K. Three-phase motor: Luan Xinshun	l.
M. Cylinder: Yade passenger	N. Solenoid valve: Yarker
O. Photoelectric switch: Bergafu	

Address: Shenjiamen, Dayan Biological Park, Putuo District, Zhoushan City, Zhejiang Province, China

Address: Da Gan Biological Garden, ShenJiaMen, PuTuo District Zhou Shan City, ZheJiang Province, P.R China

URL /Web:www.93jq.comEmail box / E-mail:zsjq_sp@163.com

Tel: + 86- (0) 580-3694238 Fax / Fax: + 86- (0) 580-3695017